



正隆機械工廠
CHENG LU MACHINERY WORKS




CL-101A V.8 全自動鞋帶打頭機 FULLY AUTOMATIC SHOELACE TIPPING MACHINE



各種鞋帶、髮束、成衣帶及繩帶打頭專業機械製造商
Suitable for tipping all kinds shoelaces, garment strings
machine manufacturers.

CL-101A V.8 全自動鞋帶打頭機


FULLY AUTOMATIC SHOELACE TIPPING MACHINE



專利自動收帶裝置 PATENT STRINGS LOADING DEVICES

CL-101A特別安裝一組專利自動計數收帶裝置於機械上，收帶裝置經定量輸入後，會自動計數。當收帶勾達到設定數量後，會自動旋轉收集。


CL-101A equipped a unique patent-designed of finished products loading & counting devices with a quantity warning alarm by ordered feature. Then exchanges to the next hook of loading devices, automatically.



結構堅固、操作順暢 STEADINESS & DURABILITY

敝公司以嚴謹的態度設計機身及精密的組合。全鋼冶煉的模組，確保延長機件壽命，操作更穩當。

CL-101A has an implanted quality design on rigid body construction and steel mould to guarantee the steadiness and durability of machine performance.



運作全自動化 AUTOMATION

CL-101A全自動化上膠片、打頭、裁斷、計數於一機。讓高效率和省工時的CL-101A助您贏得最大的商機。

CL-101A labor and efficiency creator, capable of plasticizing, tipping, cutting, Loading and counting devices automatically. Above great compatibility of CL-101A makes you as a profit winner.




安全保護的裝置 SAFETY

敝公司特別設計兩組安全保護裝置於機械上，確保操作安全性。

Operation is secured by unique stopping devices built on M/C



CL-101 62"



規格說明 SPECIFICATION

產 量	Production capacity	55~70 Strings/min
馬達馬力	Machine Motor	1HP, 3Phase
模 具	The Sizes of Mould	2.0, 2.2, 2.5, 2.8, 3.0
(刀模)	Linkers:	3.2, 3.5, 3.8, 4.0, 4.2 mm

機械規格說明 SPECIFICATION

Mode	型號	Gauge	規格	Tipping Length	鞋帶長度範圍
CL-101A		62"		16"~ 62"	(40~150 cm)
		85"		16"~ 85"	(40~210 cm)
		100"		16"~ 100"	(40~250 cm)
		120"		16"~ 120"	(40~300 cm)
		140"		16"~ 140"	(40~350cm)
CL-102				4"(10cm)~	Limitless Length
CL-103				4"(10cm)~	Limitless Length

機械尺寸 Machine size

Model 型號	Gauge 規格	Machine Size 機械尺寸	Net Weight 淨重	Dimension of Wooden Case 包裝尺寸	Gross Weight 毛重
CL-101A	62"	287 x 120 x 162cm	710 kg	297 x 130 x 187 cm	930 kg
	85"	340 x 120 x 185cm	825 kg	350 x 130 x 210 cm	1,095 kg
	100"	388 x 120 x 185cm	900 kg	398 x 130 x 210 cm	1,220 kg
	120"	440 x 120 x 190cm	1,020 kg	450 x 130 x 215 cm	1,400 kg
	140"	500 x 120 x 200cm	1,200 kg	510 x 130 x 225cm	1,650 kg
CL-102		95 x 95 x 92cm	205 kg	105 x 105 x 117cm	300 kg
CL-103		80 x 73 x 95cm	95 kg	90 x 83 x 120cm	135 kg

系列機種功能介紹 Introduction to the function

Model 型號	Patent Loading 專利收帶	Control the length 長度控制	Transmission Celluloid 上膠片	Tipping 打頭	Cutting 裁剪
CL-101A V.8	Auto 自動	Auto 自動	Auto 自動	Auto 自動	Auto 自動
CL-101A	Auto 自動	Auto 自動	Auto 自動	Auto 自動	Auto 自動
CL-101	No 無	Auto 自動	Auto 自動	Auto 自動	Auto 自動
CL-102	No 無	Control with hands 用手控制	Semi-automatic 半自動	Semi-automatic 半自動	Semi-automatic 半自動
CL-103	No 無	Control with hands 用手控制	Semi-automatic 半自動	Semi-automatic 半自動	No 無

© We do keep all rights without notify.

◎ 膠片尺寸 Celluloid Size : 10, 20, 25, 30, 32, 40, 50 mm

◎ 註：原廠商標得保留其註冊商標及名稱的權利。The former manufacturer has the rights of registered trademark and name.

CL-101A+M (無膠片全自動鞋帶打頭機)

FULLY AUTOMATIC SHOELACE TIPPING MACHINE (MELTING TIP)

CL-101A+M是用於無膠片鞋帶與成衣帶的特別的設計

不需使用醋酸纖維膠片，所以沒有禁止的塑化劑成份

(最終產品為提供100%的健康安全)

附有機器“額外”元素加熱適合融化成型鞋帶頭

熱熔模具，與融化的時間可以調整。

機器CL-101A+M也可使用CL-101A的功能，用於醋酸纖維膠片包覆鞋帶頭。

機器運轉速度大約6~15pcs/per分，但是它取決於繩帶材料和尺寸。

只適合熱塑型繩帶材質

熱熔鞋帶頭的形狀，可依模具設計而改變，鞋帶頭尺寸(長度20mm~5mm)



CL-101A+M is special design used for making shoelace tipping "melting tip" & garment string tip "melting tip".

It no need used celluloid acetate film no ingredients contains banned phthalates (plasticizer)

(The finished products provide 100% safety for health)

Machine attached with "extra" heating element for melting shoelace when the braid into tipping mold, the melting time can be adjusted.

CL-101A+M machine also can used to make working normal shoelace as same as CL-101A to used acetate film tipping.

Machine running speed about 6~15pcs/per min, but it depend on braid material and size.

The machine used for synthetic material braid only.

The melting tip make to round or square shape, and tip head size (5mm~20mm length) can be choice by customer.

CL-102 半自動鞋帶打頭機

SEMI-AUTOMATIC SHOELACE TIPPING MACHINE


由人工把繩帶放進模具內打頭，繩帶長度無限制。
適合鞋帶、成衣帶、有彈性的繩帶打頭。
可控制模具溫度，使用醋酸纖維膠片，耐久性佳。
使用丙酮液體幫助膠片黏合。

CL-102 Is Used Manpower To Feed Braid Into Machine,
the Tipping Length No Limitation.
The machine used acetate film material to cover braid,
rope and tipping to make shoelace tip or garment
string tip.

- * The mold cutter with temperatures setting to make tipping film (Acetate film) more durability.
- * The acetone liquid are auto-feeding for every tipping which of volume can be adjusted to provide good quality.

說明 Specification

Tipping length	長度範圍	No limited 無限制
Production capacity	生產能力	depend on worker feed speed 取決於工人供給速度
Machine motor	馬達馬力	1Hp, 3Phase



- ◎ 註：原廠商得保留其註冊商標及名稱的權利。
- ◎ All trademark and registered brand name are property of their respective owners. All right reserved.

◎膠片尺寸 Celluloid Size : 10, 20, 25, 30, 32, 40, 50 mm



正隆機械工廠
CHENG LU MACHINERY WORKS

No.11, Laonong Rd., Tianzhong Township,
Changhua County 52045, Taiwan.
台灣52045彰化縣田中鎮沙溝里酪農路11號
TEL: +886-4-8744 617• 8750 249
FAX: +886-4-8748 218
E-mail: chenglu9@ms21.hinet.net
<http://www.cheng-lu.com.tw>